

SINANLI AMBALAJ



Aluminium Take Out & Carry-Out Packaging


ALUMINIUM - THE IDEAL PACKAGING MATERIAL

- Aluminium containers protect perishable goods from all harmful environmental influences - even in the most extreme climates.
- Aluminium container: am hygienic. Its surface cannot become a breeding ground for bacteria and other micro - organisms.
- Aluminium is a totally inert material which doesn't allow any migration from or into the product it has to protect. No odour, flavour or aroma can penetrate or escape.
- Aluminium containers keep products fresh for a long time without quality deterioration.
- Aluminium is light, so this is an advantage which is equally beneficial for processors, salesman and shoppers.
- Aluminium containers are handy, elegant and practical.
- Aluminium containers are resistant because of their rigidity and will not become deformed during cooking.
- Aluminium containers can readily be used in traditional ovens and in microwave ovens.
- Aluminium is ecological because;
 - energy consumption has been reduced by 30% during its production methods.
 - over 30%.of the worldwide production is made from recycled scrap.
 - it saves energy.

Çalışma izni ve gıda sicili belgesi sicil No: 34-00088

Gıda ile temas eden madde ve malzemelere ait üretim izni belgesi sicil ve üretim izni No: 34-00088-00001-4

*For quality, cost and reliability,
SİNANLI is the packaging partner of choice.*



SİNANLI manufactures aluminium foil containers and catering disposables for the food industry throughout Europe and other international markets. We offer high quality food containers and takeaway foil containers for all markets in Food Sector. We are one of the largest food packaging companies in the TURKEY.

We have earned our reputation as a specialist manufacturer of aluminium foil containers. However, our product range incorporates a number of other items that are used in conjunction with the containers in food processing or food service applications.

Our portfolio of products now comprises:

- * Conventional aluminium foil containers
- * Foil Board Lids
- * Aluminium foil Rolls



S-101 G

CONT. ALU. ROUND. 180 cc

Sizes	length/mm
top out	96
top in	88
base	84
Depth/height	22
Material	Aluminium
Shape	Round
Capacity	180 cc
Colour	Silver
Matching Lid	101 GK PVC
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-802 L

CONT. ALU. ROUND. 210 cc

Sizes	length/mm
top out	135
top in	124
base	113
Depth/height	20
Material	Aluminium
Shape	Round
Capacity	210 cc
Colour	Silver
Matching Lid	S-802 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-119 G

CONT. ALU. RECT. 300 cc

Sizes	length/mm
top out	110x110
top in	100x100
base	75x75
Depth/height	42
Material	Aluminium
Shape	Rectangular
Capacity	300 cc
Colour	Silver
Matching Lid	S-119 GK PVC
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-120 G
CONT. ALU. RECT. 290 cc

Sizes	length/mm
top out	110x110
top in	100x100
base	71x71
Depth/height	42
Material	Aluminium
Shape	Rectangular
Capacity	290 cc
Colour	Silver
Matching Lid	S-120 GK PVC
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-227 L
CONT. ALU. RECT. 310 cc

Sizes	length/mm
top out	147x122
top in	130x105
base	113x88
Depth/height	26
Material	Aluminium
Shape	Rectangular
Capacity	310 cc
Colour	Silver
Matching Lid	S-227 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-528 L
CONT. ALU. RECT. 430 cc

Sizes	length/mm
top out	147x122
top in	130x105
base	108x83
Depth/height	40
Material	Aluminium
Shape	Rectangular
Capacity	430 cc
Colour	Silver
Matching Lid	S-528 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-813 L
CONT. ALU. RECT. 685 cc

Sizes	length/mm
top out	201x109
top in	185x93
base	162x70
Depth/height	49
Material	Aluminium
Shape	Rectangular
Capacity	685 cc
Colour	Silver
Matching Lid	S-813 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-815 L
CONT. ALU. RECT. 1,000 cc

Sizes	length/mm
top out	218x114
top in	204x98
base	180x76
Depth/height	60
Material	Aluminium
Shape	Rectangular
Capacity	1,000 cc
Colour	Silver
Matching Lid	S-815 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-816 L
CONT. ALU. RECT. 1,520 cc

Sizes	length/mm
top out	250x134
top in	234x115
base	206x86
Depth/height	68
Material	Aluminium
Shape	Rectangular
Capacity	1,520 cc
Colour	Silver
Matching Lid	S-816 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-864 L
CONT. ALU. RECT. 2,000 cc

Sizes	length/mm
top out	260x190
top in	240x170
base	217x147
Depth/height	56
Material	Aluminium
Shape	Rectangular
Capacity	2,000 cc
Colour	Silver
Matching Lid	S-864 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-335 L
CONT. ALU. RECT. 510 cc

Sizes	length/mm
top out	205x115
top in	190x100
base	174x84
Depth/height	32
Material	Aluminium
Shape	Rectangular
Capacity	510 cc
Colour	Silver
Matching Lid	S-335 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-487 L
CONT. ALU. RECT. 650 cc

Sizes	length/mm
top out	219x127
top in	203x111
base	187x95
Depth/height	33
Material	Aluminium
Shape	Rectangular
Capacity	650 cc
Colour	Silver
Matching Lid	S-487 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-729 L
CONT. ALU. RECT. 1,125 cc

Sizes	length/mm
top out	225x175
top in	208x158
base	199x149
Depth/height	35
Material	Aluminium
Shape	Rectangular
Capacity	1,125 cc
Colour	Silver
Matching Lid	S-729 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-784 L
CONT. ALU. RECT. 920 cc

Sizes	length/mm
top out	218x155
top in	202x138
base	180x116
Depth/height	39
Material	Aluminium
Shape	Rectangular
Capacity	920 cc
Colour	Silver
Matching Lid	S-784 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-901 L
CONT. ALU. RECT. 850 cc

Sizes	length/mm
top out	209x141
top in	191x123
base	172x104
Depth/height	37
Material	Aluminium
Shape	Rectangular
Capacity	850 cc
Colour	Silver
Matching Lid	S-901 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-902 L
CONT. ALU. RECT. 2,380 cc

Sizes	length/mm
top out	315x215
top in	294x194
base	274x174
Depth/height	56
Material	Aluminium
Shape	Rectangular
Capacity	2,380 cc
Colour	Silver
Matching Lid	S-902 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-931 L
CONT. ALU. RECT. 3,240 cc

Sizes	length/mm
top out	319x259
top in	300x240
base	273x213
Depth/height	50
Material	Aluminium
Shape	Rectangular
Capacity	3,240 cc
Colour	Silver
Matching Lid	S-931 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-910 G
CONT. ALU. RECT. 4,750 cc

Sizes	length/mm
top out	398x338
top in	368x308
base	343x283
Depth/height	50
Material	Aluminium
Shape	Rectangular
Capacity	4,750 cc
Colour	Silver
Matching Lid	-
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-350 G
PLATTER ALU. OVAL 850 cc

Sizes	length/mm
top out	351x243
top in	327x226
base	258x157
Depth/height	23
Material	Aluminium
Shape	Rectangular
Capacity	850 cc
Colour	Silver
Matching Lid	-
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-680 L
CONT. ALU. RECT. 800 cc

Sizes	length/mm
top out	227x177
top in	222x172
base	192x142
Depth/height	30
Material	Aluminium
Shape	Rectangular 2- Compartment
Capacity by Comp.	350/450 cc
Colour	Silver
Matching Lid	S-680 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-681 L
CONT. ALU. RECT. 760 cc

Sizes	length/mm
top out	227x177
top in	213x163
base	197x147
Depth/height	30
Material	Aluminium
Shape	Rectangular 3- Compartment
Capacity by Comp.	360/230/170 cc
Colour	Silver
Matching Lid	S-681 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer




S-624 L
CONT. ALU. RECT. 810 cc

Sizes	length/mm
top out	227x177
top in	213x163
base	195x145
Depth/height	30
Material	Aluminium
Shape	Rectangular 3- Compartment
Capacity by Comp.	180/350/280 cc
Colour	Silver
Matching Lid	S-624 LK CA
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-121 G
ALUMINIUM ASHTRAY

Sizes	length/mm
top out	88
top in	70
base	60
Depth/height	10
Material	Aluminium
Shape	Rectangular
Capacity by Comp.	-
Colour	Silver
Matching Lid	-
Product category	Ashtray
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer



S-300 ARF
ALU. ROLL FOIL 300 mm

S-450 ARF
ALU. ROLL FOIL 450 mm

Foil Sizes	
width	300 / 450 mm
length	100 / 150 / 200 / 300 m
Thickness	10 - 18 mic.
Core Sizes	
diameter	40 mm
length	335 / 485 mm
Material	Aluminium
Shape	Roll
Colour	Silver
Product category	Catering, Home Meal, Bakery, Butcher, Other
Temperatures	-200 °C to +350 °C
Foil	Standard Single Layer

PVC & ALUMINIUM CARDBOARD LIDS

Sinanli offers a broad line of single and multi-compartment containers with either laminated cardboard or clear plastic dome lids that allow food to travel securely, retain temperature and are easy to seal, store and open.

S-101 GK PVC

LID PVC ROUND dia 96 mm

S-119 GK PVC

LID PVC RECT. 110x110 mm

S-120 GK PVC

LID PVC RECT. 110x110 mm



S-227 LK CA

LID ALU. CARD. RECT. 140x113 mm

S-335 LK CA

LID ALU. CARD. RECT. 198x109 mm

S-487 LK CA

LID ALU. CARD. RECT. 213x122 mm

S-528 LK CA

LID ALU. CARD. RECT. 140x113 mm

S-624 LK CA

LID ALU. CARD. RECT. 219x171 mm

S-680 LK CA

LID ALU. CARD. RECT. 219x171 mm

S-681 LK CA

LID ALU. CARD. RECT. 219x171 mm

S-729 LK CA

LID ALU. CARD. RECT. 219x169 mm

S-784 LK CA

LID ALU. CARD. RECT. 211x150 mm

S-802 LK CA

LID ALU. CARD. ROUND dia 132 mm

S-813 LK CA

LID ALU. CARD. RECT. 192x102 mm

S-815 LK CA

LID ALU. CARD. RECT. 212x107 mm

S-816 LK CA

LID ALU. CARD. RECT. 244x125 mm

S-864 LK CA

LID ALU. CARD. RECT. 254x184 mm

S-901 LK CA

LID ALU. CARD. RECT. 206x135 mm

S-902 LK CA

LID ALU. CARD. RECT. 307x207 mm

S-931 LK CA


LID ALU. CARD. RECT. 317x255 mm

Packing Method - Int.

CONTAINERS	Pieces/Bag	Pieces/Carton	Cartons/Pallet	Pieces/Pallet	Pallet Sizes (cm)	m ³ /Carton	Carton Sizes (mm)
S-101 G	50	1,200	20	24,000	80x120	0.11	590x385x475
S-119 G	100	3,000	20	60,000	80x120	0.11	590x385x475
S-120 G	100	3,000	20	60,000	80x120	0.11	590x385x475
S-121 G	200	3,000	42	126,000	100x120	0.044	400x315x350
S-350 G	10	100	48	4,800	80x120	0.0393	395x375x265
S-227 L	100	1,000	42	42,000	80x120	0.049	460x400x265
S-335 L	100	1,000	26	26,000	80x120	0.078	600x455x285
S-487 L	100	1,000	26	26,000	80x120	0.078	600x455x285
S-528 L	100	1,000	42	42,000	80x120	0.049	460x400x265
S-624 L	100	1,000	20	20,000	80x120	0.118	585x425x475
S-680 L	100	1,000	20	20,000	100x120	0.14	595x475x480
S-681 L	100	1,000	20	20,000	80x120	0.118	585x425x475
S-729 L	100	1,000	20	20,000	80x120	0.11	590x385x475
S-784 L	100	1,000	24	24,000	80x120	0.093	600x325x475
S-802 L	80	1,200	18	21,600	80x120	0.121	585x380x545
S-813 L	100	1,000	26	26,000	80x120	0.078	600x455x285
S-813 L (No. 6/A)	125	500	63	31,500	80x120	0.031	465x210x320
S-815 L	100	1,000	26	26,000	80x120	0.078	600x455x285
S-815 L (No. 6)	125	500	49	24,500	80x120	0.0382	485x235x335
S-816 L	100	1,000	20	20,000	80x120	0.118	585x425x475
S-864 L	100	800	20	16,000	100x120	0.14	595x475x480
S-901 L	100	1,000	31	31,000	100x120	0.082	745x235x470
S-902 L	50	500	22	11,000	100x120	0.11	650x550x305
S-910 G	25	200	18	3,600	80x120	0.11	690x410x395
S-931 L	50	400	22	8,800	100x120	0.11	650x550x305

* Containers are in the Pe sleeves and sealed by heating than putted into the dopel cartons.

Measurement Diagram for Containers



Packing Method - Int.

LIDS	Pieces/Bag*	Pieces/Carton	Cartons/Pallet	Pieces/Pallet	Pallet Sizes (cm)	m ³ /Carton	Carton Sizes (mm)
S-101 GK PVC	-	1,200	30	36,000	100x120	0.075	540x325x425
S-119 GK PVC	-	3,000	20	60,000	100x120	0.103	585x385x455
S-120 GK PVC	-	3,000	20	60,000	100x120	0.103	585x385x455
S-227 LK CA	100	1,000	160	160,000	100x120	0.009	285x235x130
S-335 LK CA	100	1,000	100	100,000	100x120	0.012	400x230x130
S-487 LK CA	100	1,000	100	100,000	100x120	0.012	400x230x130
S-528 LK CA	100	1,000	160	160,000	100x120	0.009	285x235x130
S-624 LK CA	100	1,000	60	60,000	100x120	0.026	380x285x240
S-680 LK CA	100	1,000	60	60,000	100x120	0.026	380x285x240
S-681 LK CA	100	1,000	60	60,000	100x120	0.026	380x285x240
S-729 LK CA	100	1,000	60	60,000	100x120	0.026	380x285x240
S-784 LK CA	100	1,000	60	60,000	100x120	0.02	440x275x165
S-802 LK CA	100	1,000	100	100,000	100x120	0.012	400x230x130
S-813 LK CA	100	1,000	100	100,000	100x120	0.012	400x230x130
S-815 LK CA	100	1,000	100	100,000	100x120	0.0168	550x235x130
S-816 LK CA	100	1,000	60	60,000	100x120	0.026	380x285x240
S-864 LK CA	100	800	60	48,000	100x120	0.026	380x285x240
S-901 LK CA	100	1,000	100	100,000	100x120	0.012	400x230x130
S-902 LK CA	100	500	60	30,000	100x120	0.026	380x285x240
S-931 LK CA	100	400	60	24,000	100x120	0.026	380x285x240

* LIDS are packed by shrink packaging system.

Packing Method - Domestic

CONTAINERS	Pieces/Carton	Carton Sizes (mm)
S-101 G	1,200	590x385x475
S-119 G	3,000	590x385x475
S-120 G	3,000	590x385x475
S-121 G	3,000	400x315x350
S-350 G	100	395x375x265
S-227 L	1,000	460x400x265
S-335 L	1,000	600x455x285
S-487 L	1,000	600x455x285
S-528 L	1,000	460x400x265
S-624 L	1,000	585x425x475
S-680 L	1,000	595x475x480
S-681 L	1,000	585x425x475
S-729 L	1,000	590x385x475
S-784 L	1,000	600x325x475
S-802 L	1,200	585x380x545
S-813 L	1,000	600x455x285
S-813 L (No. 6/A)	500	465x210x320
S-815 L	1,000	600x455x285
S-815 L (No. 6)	500	485x235x335
S-816 L	1,000	585x425x475
S-864 L	800	595x475x480
S-901 L	1,000	745x235x470
S-902 L	500	650x550x305
S-910 G	200	690x410x395
S-931 L	400	650x550x305

LIDS	Pieces/Carton	Carton Sizes (mm)
S-101 GK PVC	1,200	540x325x425
S-119 GK PVC	3,000	585x385x475
S-120 GK PVC	3,000	585x385x475
S-227 LK CA	1,000	285x235x130
S-335 LK CA	1,000	400x230x130
S-487 LK CA	1,000	400x230x130
S-528 LK CA	1,000	285x235x130
S-624 LK CA	1,000	380x285x240
S-680 LK CA	1,000	380x285x240
S-681 LK CA	1,000	380x285x240
S-729 LK CA	1,000	380x285x240
S-784 LK CA	1,000	440x275x165
S-802 LK CA	1,000	400x230x130
S-813 LK CA	1,000	400x230x130
S-815 LK CA	1,200	550x235x130
S-816 LK CA	1,000	380x285x240
S-864 LK CA	800	380x285x240
S-901 LK CA	1,000	400x230x130
S-902 LK CA	500	380x285x240
S-931 LK CA	400	380x285x240

* LIDS are in shrink package.



SINANLI AMBALAJ

SINANLI AMBALAJ SANAYİ VE DIŞ TİCARET LİMİTED ŞİRKETİ

Osman Gazi Mahallesi Yıldırım Beyazıt Caddesi No: 28/A

Samandıra - Kartal - İSTANBUL / TÜRKİYE

Tel: +90.216.561 78 44 (pbx) Fax: +90.216.561 78 42

www.sinanli.com.tr sinanli@sinanli.com.tr